

HER number

141

Identification

Name	Morphotype
MP13	A1 (Myophage)

Order Family Species Genus ?1

Other designations

Taxonomy

Kingdom Class Realm

Images

Electron Micrograph




Image description

Magnification: 297,000X Bar: 50 nm Staining: UAB

Characteristics

Plaques: 0.5mm, clear-turbid, halo, ring. Inactivated after 8 years in broth at -70oC.

Sensitive to chloroform.

Generalized transducing phage (lytic) for QM B1551.

Estimate of molecular weight (restriction fragments: 97x10^6 dalton. 20%

of thymine replaced by some form of substitued HMU.

Dimensions in nm (Ackermann unpubl.):

UA head 93 tail 199 x 21 PT head 93 tail 199 x 15

Genomic sequence

Deactivated

Propagation conditions

Bacterial hosts

1141

Reference

Vary, P. S. 1979. BBRC 88:1119-1124.

Remarks

To be deposited (1982) in:

Bacillus Genetic Stock Center,

Ohio State University,

Columbus, OH, 43210

Vary: mid-log cells, MOI = 1, shake at 22 rpm for 2-3 h.

Instructions for phage propagation are available upon request.

History

History

Isolated by

Dr Patricia S. Vary

Date

Received from

Dr Patricia S. Vary,

Department of biological Sciences,

Northern Illinois University,

DeKalb, Illinois, 60115,

USA.

Date

1-9-1982

Updated at 2024-01-16