

HER number

154

Identification

Name	Morphotype	Other designations
154	B2 (Siphophage)	Xp12, XP-12

Taxonomy

Realm	Kingdom	Phylum	Class
Order	Family ?1	Genus	Species

Images

Electron Micrograph




Image description

Magnification: 297,000X

Bar: 50 nm Staining: UAB

Characteristics

Plaques: 2mm, clear.

Smaller plagues when cultivated without

thymidine

Read after 24-48 hrs.

Thymidine (5 mg/ml) needed in medium.

5-methylcytosine completely replaces cytosine.

Genomic sequence

Deactivated

Propagation conditions

Bacterial hosts

1154

Reference

Kuo, T., T. Huang, and M. Teng. 1968. 5-methylcytosine replacing cytosine in the deoxyribonucleic acid of a bacteriophage for *Xanthomonas oryzae*. J. Mol. Biol. 34:373-375.

Remarks

Instructions for phage propagation and media composition are available upon request. THIS PHAGE IS NOT AVILABLE FOR THIS MOMENT

History

History

Received from

Dr T. T. kuo,

Institute of Botany,

Academia Sinica,

Taiwan,

Republica of China.

Received from

Dr Mélanie Ehrlich,

Department of Biochemistry,

Tulane University School of Medecine,

1430 Tulane Avenue,

New Orleans, LA, 70112,

USA.

Isolated by

Kuo, Huang,

Wu and Cheng

Date

Date

16-12-1982

Date

1968

Source

Water of a rice field, Taiwan

Updated at 2024-01-16