# Host HER 1357

*HER*
1357

## Identification

| *Genus* | *Species* | *Subspecies* | *Biovar* | *Serovar* |
|---|---|---|---|---|
| *Bacillus* | *thuringiensis* | | | |

| *Strain* | *Aliases* |
|---|---|
| berliner 1715Wt | |

## Growth conditions

| *Temp.* | *Medium* | *Aerobic/Anaerobic* | *Agitation* | *Other* |
|---|---|---|---|---|
| 30 | TSA | | | |

## Lysogeny

## Phage sensitivity

HER 358 (B.1715V1)

*Reference*
Lecadet, M.M., R. Dedonder. 1971. Biogenesis of the crystalline inclusion of Bacillus thuringiensis during sporulation. Eur. J. Biochem. 23: 282-294.

*Remark*
Serotype H1.
Use HCT medium for induction of sporulation.

## History

*History*

**Received from**
Dr M.M. Lecadet, Institut Pasteur, Unité de Biochimie Microbienne, 25 rue du Docteur Roux, 75024 Paris Cedex 15, France

**Date**
07-17-1989

**Received from**
Dr H. deBarjac, WHO Collaborating Center for Enteropathogenic Bacilli, Institut Pasteur, France

**Date**

**Received from**
J.R. Norris, UK

**Date**

**Isolated by**

J.R. Norris, United Kingdom.

**Date**
1962

*Last update*
2012-02-29