

HER
1399

Identification

| <i>Genus</i> | <i>Species</i> | <i>Subspecies</i> | <i>Biovar</i> | <i>Serovar</i> |
|-----------------|----------------|-------------------|---------------|----------------|
| <i>Bacillus</i> | <i>cereus</i> | | | |
| <i>Strain</i> | | <i>Aliases</i> | | |
| 13472 | | | | |

Growth conditions

| <i>Temp.</i> | <i>Medium</i> | <i>Aerobic/Anaerobic</i> | <i>Agitation</i> | <i>Other</i> |
|--------------|---------------|--------------------------|------------------|--------------|
| 30 | TSA | | | |

Lysogeny

Phage sensitivity

HER 357 (CP-54Ber (not available)) HER 399 (TP-15c) HER 533 (TP21-L) HER 534 (W.Ph)

Reference

Reynolds, R.B., A. Reddy, C.B. Thorne. 1988. Five unique temperate phages from a polylysogenic strain of *Bacillus thuringiensis* subsp. *aizawai*. J. Gen. Microbiol. 134: 1577-1585.

Remark

History

History

Received from

Dr C.B. Thorne, Dept of Microbiology, University of
Massachusetts, Amherst, 203 Morrill IV North, Amherst,
MA 01003, USA

Date

11-11-1988

Last update

2012-02-29