

HER number

131

Identification

Name

Tb

Morphotype

C1 (Podophage)

Other designations

TB, Tbilisi

Taxonomy

Realm

Duplodnaviria

Kingdom

Heunggongvirae

Phylum

[Uroviricota](#)

Class

Caudoviricetes

Order

Family

Genus

Perisivirus

Species

Perisivirus Tb

Images

Electron Micrograph

Image

FHRCEV




Image description

Magnification: 297,000X

Bar: 50 nm

Staining: PTA

Characteristics

Plaques: 0.5- 1mm, clear, sloping borders.
Host is class III pathogen.
Albimi broth, Serum dextrose agar.
Growth time = 36 h.

Genomic sequence

Activated

Propagation conditions

Bacterial hosts

1131

Reference

Brinley-Morgan, W. J. D. Kay, and D. E. Bradley. 1960. *Brucella* bacteriophage. Nature (London). 188:74-75.

Remarks

History

History

Received from

M. J. Corbel,
FAO/WHO Collaborating Centre for Reference and
Research on Brucellosis,
Ministry of Agriculture, Fisheries and Food,
Central Veterinary Laboratory,
New Haw, Weybridge, Surrey, England,
KT15 3NB

Date

06-22-1982

Isolated by

M. Z. Popkhadze, and T. G. Abashidze.
In Tiflis, Georgia,
URSS

Date

Source

Liquid manure of cowshed.

Updated at
2024-01-16