

HER number
191

Identification

<i>Name</i> 191	<i>Morphotype</i> B3 (Siphophage)	<i>Other designations</i> BLE
--------------------	--------------------------------------	----------------------------------

Taxonomy

<i>Realm</i>	<i>Kingdom</i>	<i>Phylum</i>	<i>Class</i>
<i>Order</i>	<i>Family</i> ?1	<i>Genus</i>	<i>Species</i>

Images

<i>Electron Micrograph</i>	<i>Image description</i>
----------------------------	--------------------------

<i>Characteristics</i> Plaques: 1.0 mm, clear.	<i>Genomic sequence</i> Deactivated
---	--

Propagation conditions

Bacterial hosts
1190

Reference
Doskocil, J., J. Forstova, and J. Stokrova. 1978. Temperate and virulent forms of phage θ attacking *Bacillus licheniformis*. Mol. Gen. Genet. 160:311-317.

Remarks
Phage BLE was isolated from the same batch independantly by Dr Ludvik:
Ludvik, J., L. Erbenova, and H. Lipavska. 1977. Ultrastructure of *Bacillus licheniformis* bacteriophage BLE and its DNA. Virology 77:872-875.

History

History

Isolated by

J. Dosekocil
Kourim,
Czechoslovakia

Date

1975

Received from

Dr. J. Dosekocil
Institute of Molecular Genetics
Flemingovo nám. 2,
16637 Praha 6,
Czechoslovakia

Date

20-09-1983

Source

A lysed industrial batch of *B. licheniformis* 10716.

Updated at

2024-01-16