

Numéro HER

358

Identification

Nom

B.1715V1

Morphotype

B1 (Siphophage)

Autres désignations

Taxonomie

Domaine

Règne

Embranchement

Classe

Ordre

Famille

?1

Genre

Espèce

Images

Photo en microscopie électronique

Image



Description de l'image

Magnification: 297,000X

Bar: 50 nm

Staining: UA

<i>Caractéristique</i> Clear plaques of 0.5 mm.	<i>Séquence génomique</i> Désactivé
Conditions de propagation	
<i>Hôtes bactériens</i> 1357	
<i>Référence</i> Lecadet, M.M., M.O. Blondel, J. Ribier. 1980. Generalized transduction in *Bacillus thuringiensis* var. berliner 1715 using bacteriophage CP-54Ber. J. Gen. Microbiol. 121: 203-212.	
<i>Remarque</i> High stability at 4°C. Latent period: 60 min (vegetative cells) to 80-90 min (sporulating cells) Burst size: about 25, decreasing with sporulation (unpublished data from M.M. Lecadet) Morphological resemblance to SP?. Typing phage for *B. thuringiensis* (No.4)	
Historique	
<i>Historique</i>	
Received from Dr M.M. Lecadet Institut Pasteur Unité de Biochimie Microbienne 25 rue du Docteur Roux 75724 Paris CEDEX 15, France	Date 17-07-1989
Isolated by Dr M.M. Lecadet and G. Chevrier Institut Pasteur, Paris	Date 1972
<i>Source</i> Soil	
<i>Dernière mise à jour</i> 2024-01-19	