

Numéro HER
102

Identification

Nom φ6	Morphotype E2	Autres désignations phi 6, phi6	
-----------	------------------	------------------------------------	--

Taxonomie


Domaine <i>Riboviria</i>	Règne <i>Orthornavirae</i>	Embranchement <i>Duplornaviricota</i>	Classe <i>Vidaverviricetes</i>
Ordre <i>Mindivirales</i>	Famille <i>Cystoviridae</i>	Genre <i>Orthocystovirus</i>	Espèce <i>Orthocystovirus phi6</i>

Images

Photo en microscopie électronique

Image

FHRCBV



Description de l'image

Magnification: 297,000X

Bar: 50 nm

Staining: UA

Caractéristique

Plaques: 0.5- 2.5mm, veiled, halo.
Enveloppe, lipids, 2-RNA.

Séquence génomique

Activé

Conditions de propagation

Hôtes bactériens

1102

Référence

Vidaver, A. K. , R. K. Koski, and J. L. Van Etten. 1973. Bacteriophage ϕ 6: a lipid-containing virus of *Pseudomonas phaseolicola*. J. Virol. 11:799-805.

Remarque

Description of the media used are available upon request.

Also held at NBRC (NITE Biological Resource Center)

<http://www.nbrc.nite.go.jp/NBRC2/NBRCCatalogueDetailServlet?ID=NBRC&CAT=00105899>

Historique

Historique

Received from

D. Burbank,
University of Nebraska-Lincoln,
Institute of Agriculture and Natural Resources,
Plant Pathology,
Lincoln, NE, 68583-0722,
USA.

Date

05-25-1982

Received from

A. K. Vidaver,
University of Nebraska-Lincoln,
Institute of Agriculture and Natural Resources,
Plant Pathology, Lincoln, NE, 68583-0722,
USA.

Date

Isolated by

A. K. Vidaver

Date

Before 1973

Source

Pseudomonas phaseolicola- infested bean straw

Dernière mise à jour

2024-01-16