

Numéro HER  
131

## Identification

Nom Tb	Morphotype C1 (Podophage)	Autres désignations TB, Tbilisi	
-----------	------------------------------	------------------------------------	--


## Taxonomie

Domaine <i>Duplodnaviria</i>	Règne <i>Heunggongvirae</i>	Embranchement <a href="#">Uroviricota</a>	Classe <i>Caudoviricetes</i>
Ordre	Famille	Genre <i>Perisivirus</i>	Espèce <i>Perisivirus Tb</i>

## Images

Photo en microscopie électronique

Image  
FHRCEV



Description de l'image

Magnification: 297,000X

Bar: 50 nm

Staining: PTA

*Caractéristique*

Plaques: 0.5- 1mm, clear, sloping borders.  
Host is class III pathogen.  
Albimi broth, Serum dextrose agar.  
Growth time = 36 h.

*Séquence génomique*

Activé

## Conditions de propagation

*Hôtes bactériens*

1131

*Référence*

Brinley-Morgan, W. J. D. Kay, and D. E. Bradley. 1960. \*Brucella\* bacteriophage. Nature (London). 188:74-75.

*Remarque*

## Historique

*Historique*

**Received from**

M. J. Corbel,  
FAO/WHO Collaborating Centre for Reference and  
Research on Brucellosis,  
Ministry of Agriculture, Fisheries and Food,  
Central Veterinary Laboratory,  
New Haw, Weybridge, Surrey, England,  
KT15 3NB

**Date**

06-22-1982

**Isolated by**

M. Z. Popkhadze, and T. G. Abashidze.  
In Tiflis, Georgia,  
URSS

**Date**

*Source*

Liquid manure of cowshed.

*Dernière mise à jour*

**2024-01-16**