

Numéro HER  
195

## Identification

Nom 195	Morphotype B2 (Siphophage)	Autres désignations	
------------	-------------------------------	---------------------	--


## Taxonomie

Domaine <i>Duplodnaviria</i>	Règne <i>Heunggongvirae</i>	Embranchement <a href="#"><u>Uroviricota</u></a>	Classe <i>Caudoviricetes</i>
Ordre	Famille	Genre	Espèce

## Images

Photo en microscopie électronique

Image



Description de l'image

Magnification: 297,000X

Bar: 50 nm

Staining: UA

### *Caractéristique*

Plaques: 2-3 mm, clear.  
Very narrow host range (specific of *S. venezuelae*?).  
High thermal resistance : 80°C for 1h.  
High resistance to osmotic shock, difficult to dissociate.  
Morphological aberrations : giant and small (?) heads, particles with two tails and aberrant tail insertion.

### *Séquence génomique*

Désactivé

## **Conditions de propagation**

### *Hôtes bactériens*

1195

### *Référence*

Jones, L.A., M.L. Hahn, and A.R. Taylor. 1974. Incomplete and aberrant particles of actinophage MSP2 from lysates of \**Streptomyces venezuelae*\*. J. Virol. 14:493-502.

### *Remarque*

## **Historique**

*Historique*

**Received from**

Dr. Lily A. Jones  
Department of Immunology and Microbiology,  
Wayne State University,  
Detroit, Michigan 48201,  
USA

**Date**

01-16-1984

**Received from**

S.G. Bradley, same address

**Date**

**Isolated by**

S.G. Bradley  
Department of Microbiology,  
University of Minnesota,  
Minneapolis, Minnesota,  
USA

**Date**

Between 1956 and 1960

*Source*

Soil

*Dernière mise à jour*

2024-01-16