

HER
1670

Identification

Genre	Espèce	Sous-espèce	Biovar	Sérovar
<i>Acinetobacter</i>	<i>baumannii</i>			
Souche UKA9		Autres désignations		

Conditions de croissance

Temp.	Milieu	Aérobie/Anaérobie	Agitation	Autres
30 or 37	LB			

Lysogénie

Sensibilité phagique

HER 767 (A9RS)

Référence

Turton JF, Kaufmann ME, Gill MJ, Pike R, Scott PT, Fishbain J, Craft D, Deye G, Riddell S, Lindler LE, Pitt TL. Comparison of *Acinetobacter baumannii* isolates from the United Kingdom and the United States that were associated with repatriated casualties of the Iraq conflict. *J Clin Microbiol.* 2006 Jul;44(7):2630-4. doi: 10.1128/JCM.00547-06

Wand ME, Bock LJ, Turton JF, Nugent PG, Sutton JM. *Acinetobacter baumannii* virulence is enhanced in *Galleria mellonella* following biofilm adaptation. *J Med Microbiol.* 2012 Apr;61(Pt 4):470-477. doi: 10.1099/jmm.0.037523-0

Remarque

Sequence Type 32

KL 2

Historique

Historique

Isolated by

Date

Unknown

07-2003

Source : Patient who served in Iraq, Hospital 1

Received from

Date

Dan Turner

07-2021

University of the West of England, Bristol, UK

Received from

Date

Mark Sutton, UK Health Security Agency, Porton Down,
Wiltshire, UK, SP4 OJG

Received from

Date

Jane Turton, UK Health Security Agency, UK

Dernière mise à jour